

## Your Solution Starts Here





### **Dear SAMPLE REPORT,**

### We are delighted to present your test results!

### **Your Results**

Your results are divided into sections by the type of items tested. Within each section you'll find an overview page, this is to ensure your results are as clear and concise as possible and your attention is drawn to the information that is of greatest value to you. You can see the full list of items tested in the detailed analysis page.

Your results report is designed to provide the utmost clarity on your results and the actions we would recommend. We believe that in providing you with your test results and relevant information in each section, your results can form the beginning of a journey, enabling you to make positive changes to your daily diet and environment.

In doing so we want you to be able to take steps towards eating a diet, which is nutritious and enjoyable and living a life, which is healthful and happy.

If you have any further questions please do not hesitate to get in touch with us.

### Healthy regards, Easy Medical Centre

support@easymedicaltests.co.uk



### **Table of Contents**

Your Results Explained	page 4
Food Sensitivities Analysis	page 8
Non-food Sensitivities Analysis	page 18
Hormonal Balance Analysis	page 23
Gut Biome Analysis	page 28
Digestive Health and Metabolism Analysis	page 33
Metal Sensitivities Analysis	page 38
Minerals and Nutrients Analysis	page 43
Vitamins Analysis	page 47
Additives Analysis	page 51
What Can You Do Next?	page 59
Simple Advice - A 23 Days Plan	page 61
E-Numbers Explained	page 62
Metal Potential Sources	page 66
Contact	page 67



### **Your Results Explained**

### A sensitivity test is not an allergy test

It is important to reiterate that this test is NOT for allergy. It is easy to confuse allergy and sensitivity or intolerance as the different terms are often used interchangeably, which leads to misinterpretation. Allergy and sensitivity are not the same. Of course if someone is allergic to a food item it could be described as being 'sensitive' however as a health condition allergy is different from sensitivity or intolerance.

There are a couple of fundamental differences between allergy and sensitivity; having food sensitivity may be uncomfortable and cause symptoms that, whilst annoying, embarrassing or even debilitating, do not have the potential to be life-threatening like those caused by food allergy; food sensitivity can also change over time, it can often be overcome through implementation of a food elimination diet and/or improving gut health, however food allergy tends to be lifelong. The physiological process, which takes place in the body during an allergic reaction, is also entirely different to that of sensitivity. An allergic reaction involves the immune system and cells called antibodies, whereas this is not involved in sensitivity. Hair testing does not test antibody levels therefore this is why it cannot be used to test for allergy.

### **Known Allergies**

### You may have a known allergy so let's help you to interpret sensitivity results to this item.

### Case A

The item you are allergic to shows as a Mild or Sensitive Reaction item.

This means that as well as a food allergy you have food sensitivity. If you have already removed this item from your diet you do not need to take any action. If you have not removed it previously, it is worth considering doing so, however we would not recommend reintroduction following the elimination diet.

### Case B

The item you are allergic to shows as a No Reaction item.

This means that you do not have food sensitivity to this item however the result does not question or contradict the presence of your food allergy to the item. It does NOT mean you should reintroduce the item to your diet, you should respect the symptoms or test results you have had previously with regards to allergy. Remember this test does not test for allergy.



### **Everyday Foods**

It is common for a food item consumed in the daily diet or very frequently, to test as a moderate or high sensitivity item. This can happen with food sensitivity and may be due to the body suddenly struggling to process or breakdown particular constituents of the food. This could be caused by overconsumption of a food group or could be down to an imbalance in gut bacteria or the presence of low-level inflammation in the gut.

Whatever the cause do not despair. We are talking about food sensitivity and NOT allergy; therefore completing a food elimination diet with subsequent reintroduction can help. This may mean you need to eliminate a favourite food or staple in your diet for a period of weeks but you will be able to reintroduce the item. Eliminating food items for a period of time can allow the gut time to 'rest' from trigger foods and the reintroduction of items can allow you to assess how a food or food group makes you feel. Be able to reintroduce the item. Eliminating food items for a period of time. Eliminating food items for a period of time.

### **Gut Nourishment**

In most cases carrying out an elimination diet is enough to improve symptoms and allow for a greater understanding of any foods, which aren't agreeing with the body. It is also worth considering the nourishment of the digestive tract and addressing any gut bacteria imbalances to further improve gut function and reduce digestive symptoms.





## Customer Testimonials





We take great pride in helping our customers.

### This test changed my life $\star \star \star \star \star$

Who would have thought that strawberries caused my belly to ache. Glad I took this intolerance test. I now eat strawberries in moderation and feel much more healthy. This sensitivity hair test did the trick! Thank you.

- Cynthia

### Amazing how much we have learned $\star \star \star \star$

Honestly, this test is getting better and better as we learn more about it. we do test our family on a regular base to see if we actually get better (we feel better but we also like to see the numbers), and we are getting healthier. We would also like to say thank you to all your staff. This is simply unbelievable!

- Emma & Marc

### The brutal truth indeed $\star \star \star \star \star$

If you aren't sure about your sensitivity or intolerance, always go for this hair Intolerance Test. These results give you the brutal truth indeed as it shows you what foods or other items to avoid. I never knew that skipping on lentils and tomatoes would make me feel so much healthier. Very easy to use and clear results.

- Williams Family



## Food Sensitivities Analysis





### The role of food types

As well as providing energy for the body food also contains nutrients in the form of vitamins and minerals. Vitamins and minerals are considered essential as they enable the body to complete literally hundreds of tasks, which are vital for day-to-day function, health and wellbeing. To name a few vitamins and minerals facilitate energy production, hormone production, wound healing, immune system function, blood clotting and foetal development.

The diagram below gives an overview of a few of the richest sources of each nutrient. You can refer to this diagram to ensure that in removing items from the diet you replace the relevant nutrients through other dietary sources.





### Water-soluble vitamins

#### **B** Vitamins

Oats, whole wheat, rye, buckwheat, brown rice, Brewer's yeast, peanuts, mushrooms, soybean lour and soybeans, split peas, pecans, sunflower seeds, lentils, cashews, chickpeas, broccoli, hazelnuts, peppers.

#### B12

Oysters, mussels, scallops, liver, mackerel, tuna, salmon, sardines, crab, beef, eggs, yogurt, Swiss cheese, fortified products.

#### Vitamin C

Red peppers, guavas, kale, kiwi, broccoli, Brussels sprouts, strawberries, raspberries, blackberries, blueberries, oranges, tomatoes, peas, mange tout, papaya, mango, pineapple, melon.

### Fat-soluble vitamins

#### Beta Carotene (precursor to vitamin A)

Sweet potato, carrots, kale, spinach, collards, Swiss chard, pak choi, butternut squash, pumpkin, cos lettuce, romaine lettuce, mango, dried apricots, prunes, peaches, melon, red peppers, tuna fish, mackerel, butter.

#### Vitamin A

(Retinol) Liver, beef, lamb, cod liver oil, mackerel, salmon, tuna, paté, goat's cheese, eggs, cheddar, cream cheese, butter.

#### Vitamin D

Salmon, trout, swordfish, mackerel, tuna, buttermilk, some yogurt, mushrooms, eggs, fortified products.

#### Vitamin E

Spinach, kale, broccoli, Swiss chard, turnip greens, collards, avocado, almonds, hazelnuts, pistachios, sunflowers seeds, prawn/shrimp, crayfish, salmon, smoked salmon, swordfish, herring, trout, olive oil, sunflower oil, sweet potato, squashes, kiwi, mango, peach, nectarines, apricots, guava, raspberries, blackberries.

#### Vitamin K

Kale, spinach, mustard greens, spring onions, cress, basil, thyme, coriander, sage, parsley, Brussels sprouts, cabbage, chili powder, paprika, fennel, leeks.





### **Minerals**

#### Calcium

Watercress, kale, broccoli, low fat mozzarella, low fat cheddar, yogurt, pak choi, tofu, sugar snap peas, almonds, tinned sardines in oil with bones, tinned pink salmon.

#### Copper

Rye, oats, sesame seeds, cashews, soybeans, mushrooms, sunflower seeds, tempeh, garbanzo beans, lentils, walnuts, lima beans, liver, spirulina, dark chocolate, collard greens, Swiss chard, spinach, kale.

#### Iron

Rye, whole wheat, pumpkin seeds, sunflower seeds, sesame seeds, chicken liver, oysters, mussels, clams, cashews, pine nuts, hazelnuts, peanuts, almonds, beef, lamb, lentils, white beans, soybeans, kidney beans, chickpeas, lima beans, oatmeal, spinach, Swiss chard, kale, dark chocolate.

#### Magnesium

Buckwheat, rye, millet, brown rice, whole wheat, kelp, almonds, cashews, Brazil nuts, peanuts, walnuts, tofu, coconut, soy beans, figs, apricots, dates, prawns, corn, avocado, spinach, kale, broccoli, swiss chard, turnip greens, collards.

#### Manganese

Rye, oats, brown rice, barley, mussels, hazelnuts, pine nuts, pecans, lima beans, chickpeas, aduki beans, lentils, pumpkin seeds, sesame seeds, sunflower seeds, pineapple, spinach, kale, tofu, soybeans, sweet potato, blueberries, raspberries, strawberries.

#### Phosphorus

Brown rice, oats, rye, whole wheat, chicken, turkey, pork, liver, sardines, scallops, salmon, mackerel, crab, milk, yogurt, cottage cheese, sunflower seeds, pumpkin seeds, Brazil nuts, pine nuts, almonds, pistachios, cashews.

#### Potassium

Dried apricots, salmon, mackerel, tuna, monkfish, white beans, lentils, kidney beans, avocado, butternut squash, spinach, mushrooms, bananas, potatoes, low fat yogurt.

#### Selenium

Brazil nuts, brown rice, rye, whole wheat, mushrooms, shrimp, sardines, oysters, tuna, sunflower, liver, eggs, beef, turkey, cottage cheese.

#### Zinc

Rye, spinach, beef, lamb, pumpkin seeds, sesame seeds, sunflower seeds, cashew nuts, cocoa powder, dark chocolate, pork, chicken, chickpeas, baked beans, mushrooms.







### What is a food sensitivity?

Food sensitivity happens when the body has difficulty digesting a particular food. Having food sensitivity can cause symptoms such as bloating, bowel movement changes, headaches and fatigue. It can also contribute towards symptoms experienced by those with chronic conditions such as irritable bowel syndrome, chronic fatigue, arthritis, autism and ADD/ADHD.



### What is a food allergy?

Food sensitivity should not be confused with food allergy. This test is for food sensitivity ONLY. Food allergy symptoms include coughing, sneezing, runny nose/eyes, itchy mouth/eyes, swelling of the lips/face, rashes, worsening of eczema and/or asthma, wheezing, breathing difficulties, vomiting, diarrhoea and, in rare cases, anaphylaxis.

### Your results explained

Understanding your results is of course the important part! To help you with this you will find an overview of your food sensitivity results. This overview summarises the items to focus on, along with the relevant actions to take. All items tested are rated as either Sensitive, Mild or No Reaction, in the overview section you will see only those items, which tested as Sensitive or Mild. The No Reaction items can be found in the detailed analysis section.

### **Sensitive Reaction**

These are the food items that our testing shows you have sensitivity to.

### **Mild Reaction**

These are the food items that our testing shows you could potentially have sensitivity to.

### No Reaction

These are the food items that our testing shows you do not have sensitivity to.



### Your Food Sensitivities: Overview

### **Sensitive Reaction**

- Almond
- Avocado
- Beets
- Blackcurrants
- Buffalo
- Bulgar Wheat
- Cayenne Pepper
- Chicory
- Cultivated Wheat
- Cumin
- Curry
- Edamame Beans
- Evaporated Milk
- Gouda

- Grapes (White)
- Jack Fruit
- Kiwis
- Liver (Pig)
- Oat Flour
- Onions
- Oyster

- Pepper (Red)
- Rye Flour
- Soya Bean
- Swede
- Sweet Potato
- Vinegar (Clear)
- Vodka

These food items have been identified as those, which may be causing or contributing to physical symptoms.

We would recommend the removal of these items from your daily diet using a structured elimination diet.



### Your Food Sensitivities: Overview contd.

### **Mild Reaction**

- Carambola (Star Fruit)
- Carrots
- Cinnamon
- Duck Intestines
- Gluten
- Goose
- Grapes (Red)
- Jujube Fruit
- Lamb

- Marjoram
- Milk From Sheep
- Octopus
- Pepper (White)
- Prawns
- Roasted Nuts
- Rocket
- Romaine Lettuce
- Sweet Corn

These food items have been identified as those, which may have the potential to cause or contribute to physical symptoms.

We would always recommend prioritising the removal of the Sensitive Reaction items first and then considering the removal of Mild Reaction items thereafter.

It is also worth considering that having these items in isolation may not cause symptoms, however having a number of Mild Reaction items in the same meal or day may lead to symptoms due to an accumulative effect. See details on how to implement an effective elimination diet on page 61.



### Your Food Sensitivities: Detailed Analysis

### Cereal or Grain Products

- Amaranth
- Barley
- Barley Flour
- Bread Wholemeal & Brown
- Bread, White Bread
- Brioche
- Buckwheat
- Bulgar Wheat
- Corn Meal
- Cornflakes
- Cultivated Oats
- Cultivated Rye
- Cultivated Wheat
- Dinkel Flour
- Gluten
- Kamut
- Maize Flour
- Malt
- Matzo
- Noodles
- Oat Flour
- Oats
- Pasta
- Porridge Oats
- Quinoa
- Rice
- Rice Cake
- Rice Flour
- Rice-Brown
- Rye
- Rye Flour
- Seitan
- Semolina
- Spelt
- Sticky Rice
- Tapioca
- Triticale
- Wheat
- Wheat Flour
- Wheat, Whole Grain

### Yeast

### Dairy Products

- A-Lactalbumin
- B-Lactoglobulin
- Blue Cheese
- Brie
- Butter
- Buttermilk
- Camembert
- Casein
- Cheddar Cheese (Cows)
- Condensed Milk
- Cream
- Cream Cheese
- Egg White
- Egg Yolk
- Evaporated Milk
- Feta
- Gouda
- Greek Yogurt
- Lactose
- Mayonnaise
- Milk Fat
- Milk From Cows
- Milk From Goats
- Milk From Sheep
- Mould Cheese
- Mozzarella (Buffalo)
- Parmesan (Cows)
- Preserved Egg
- Roquefort
- Sour Cream
- Sour Milk
- Soybean Milk
- Stilton Cheese
- Yoghurt

### Drinks

- Ale
- Apple Juice
- Chamomile Tea
- Champagne
- Chinese Liquor

- Coffee (Black)
- Cola
- Cranberry Juice
- Gin
- Green Coffee Beans

Fruit)

ect.)

**Berries** 

Figs

Cherries

Bananas

Bilberries

Blackberries

Blueberries

Dried All Spice

Durian Fruit

Elderberry

Fructose

Goji berry

Grapefruit

Guava

Kiwis

Lime

Lemons

Loquat Fruit

Mangosteen Fruit

Mandarin

Nectarines

Passionfruit

Oranges

Papaya

Peaches

Pineapple

Pink Grapefruit

Pomegranates

15 (67)

Pears

Plums

Prunes

Mango

Galia Melon

Gooseberries

Grapes (Red)

Hawthorn Fruit

Jack Fruit

**Jujube Fruit** 

Honeydew Melon

Grapes (White)

Blackcurrants

Carambola (Star

Currants (Red,Black

- Lager
- Lemonade
- Lime Blossom Tea
- Orange Juice
   Ouzo
- OuzoPineapple II
- Pineapple JuicePomegranate Juice

Tea (Black/Normal,

- Pollegranate C
   Pu'er Tea
- Red Wine
- Root Beer

Rum

Rosehip Tea

i.e. Not Green)

Tea (Green)

Tea - Earl Gray

Tea - Jasmine

Tea - Oolong

Tea - White

Tequila

Whisky

White Wine

Fats, general

Coconut Oil

Peppermint Oil

Vegetable Oil

Oils, General

Olive Oil

Fruit (Raw)

Acai Berry

Apricots

Avocado

**Balsam Pear** 

Apples

Vodka

Tea - Rooibos



### Your Food Sensitivities: Detailed Analysis contd.

### Fruit (Raw)

- Quince
- Raisins
- Raspberries
- Strawberries
- Watermelon
- Waxberry Fruit
- Yellow Grapefruit

### Fruit (cooked)

Cranberries

### Meat

- Bacon
- Beef Jerky
- Buffalo
- Chicken
- Corned Beef (UK)
- Corned Beef (USA)Duck
- Duck Blood
- Duck Intestines
- Goat
- Goose
- Horse
- Lamb
- Liver (Lamb)
- Liver (Ox)
- Liver (Pig)
- Moose Meat/Elk
- Mutton
- Pastrami
- Pork
- Pork Sausage
- Salami
- Tripe
- Turkey, Hen
- Veal
- Venison

### Nuts

- Almond
- Brazil Nuts
- Cashew Nuts
- Chestnuts

- Coconut
- Coix Seed
- Fennel Seed
- Flaxseed
- Ginkgo Nut
- Hazelnuts
- Macadamia
- Peanuts
- Pecan Nuts
- Pine Nuts
- Pistachio
   Pumpkin Seeds
- Pumpkin Seeds
   Roasted Nuts
- Roasted NutsSesame Seeds
- Sunflower Seeds
- Sweet Chestnut
- Walnuts
- Water Ch
- Water Chestnuts

### Sea food/Fish

- Abalone Shellfish
- Anchovy
- Blue Mussels
- Chub Mackerel
- Clams
- Cod
- Crab
- CrayfishCuttle Fish
- Eel
- Haddock
   Hake
- Hake
   Halibut
- Halibut
- Herring
- Herring (Red)
- Jellyfish
   Laver Set
- Laver SeaweedLobster
- Lobster
- Mackerel
- Mussel, Common
   Octopus
- Octopus
   Ovster
- Oyster
   Pilchard
- Plaice

- Pollock
- Prawns

Mint

Mustard

Nutmeg

Paprika

Salt

Oyster Sauce

Pepper (Black)

Pepper (Red)

Rosemary

Soy Sauce

Tarragon

Thyme

**Sweeteners** 

Cacao

General

Honey

Turmeric

Vanilla Bean

Vinegar (Clear)

Vinegar (Malt)

Chocolate (Dark)

Chocolate (Milk)

Cocoa Powder

Confectionery,

Guar Guar Gum

Maple Syrup

Rock Candy

Sugar (Beet)

Sugar, Brown

Sugar, White

Asparagus

Aubergine

Beans (Broad)

Beans, Lima

Beets

Beans (Green)

16 (67)

Vegetables (cooked)

Molasses

(Natural)

Sage

Pepper (Green)

Pepper (White)

Soybean Paste

- Red Bass
- Salmon
- Sardine
- Scallops
- Shrimp
- Skate
- Smoked Herring, Bloater

Trout (Brown)

Yellow Croaker Fish

Trout (Sea)

Acetic Acid

Aniseed

**Bay Leaf** 

Caraway

Cardamom

**Chilli Pepper** 

**Chilli Sauce** 

Cinnamon

Coriander

Fenugreek

Horseradish

Mace Herb

Marjoram

Lobster Sauce

Clove

Cumin

Curry

Ginger

**Bean Paste** 

**Bird's Eye Chilli** 

**Cayenne** Pepper

Basil

- Sole
- Squid
- Swordfish

Tuna

Winkles

Trout

Dill

Spices



### Your Food Sensitivities: Detailed Analysis contd.

### Butter Lettuce

### Vegetables (cooked)

- Button Mushroom
- Cabbage
- Capsicum (Green)
- Capsicum (Red)
- Capsicum (Yellow)
- Carrots
- Cauliflower
- Chestnut Mushroom
- Chickpeas
- Chicory
- Courgette
- Edamame Beans
- Endive
- Escarole Lettuce
- Fennel
- Garlic
- Habenero Pepper
- Iceburg Lettuce
- Jalapeno Pepper
- Kale
- Kidney Beans
- Leek
- Lentils
- Mushrooms
- Okra
- Onion
- Oyster Mushrooms
- Peas
- Portobello Mushroom
- Potatoes
- Pumpkin
- Rocket
- Romaine Lettuce
- Runner Beans
- Shitake Mushroom
- Soya Bean
- Spinach
- Swede
- Sweet Corn
- Sweet Potato
- Tofu

- Tomato
- Turnip
- Yams

### Vegetables (raw)

- Artichoke
- Bamboo Shoots
- Broccoli
- Brussel Sprouts
- Cauliflower
- Celery
- Chinese Cabbage
- Cress
- Cucumber
- Head lettuce
- Kohlrabi Cabbage
- Leaf Lettuce
- Needle Mushroom
- Olives (Black)
- Olives (Green)
- Onions
- Parsley
- Parsnip
- Pig Blood Curd (Blood Tofu)
- Radish
- Taro Vegetable
- Watercress
- Wax Gourd
- White Bean

17 (67)



## Non-food Sensitivities Analysis







### What is a non-food sensitivity?

Non-food items can, just like food items, cause the body to react, which leads to the production of symptoms such as headaches and fatigue. If you suspect you have an allergy please see your physician. It is important to note that this is not an allergy test. Any known pollen, dust mite or mould allergies you know you have may or may not come up in this test.

### Your results explained

Understanding your results is of course the important part! To help you with this you will find an overview of your non-food sensitivity results. This overview summarises the items to focus on, along with the relevant actions to take. All items tested are rated as either Sensitive, Mild or No Reaction, in the overview section you will see only those items, which tested as Sensitive or Mild. The No Reaction items can be found in the detailed analysis section.

### **Sensitive Reaction**

These are the non-food items that our testing shows you have sensitivity to.

### **Mild Reaction**

could potentially sensitivity to.

### **No Reaction**

These are the non-food items These are the non-food items that our testing shows you that our testing shows you have do not have sensitivity to.



### Your Non-food Sensitivities: Overview

**Sensitive Reaction** 

- Aspergillus Niger
- Cat Dander
- Clover
- Daisy
- Formaldehyde
- Lycopodium
- Maize
- Penicillium
  - Frequentans
- Poplar Tree
- Storage Mite
- Wasp

### **Mild Reaction**

- Agaric Mushroom
- Alder
- Anise
- Douglas Fir
- Finch Feathers
- Guinea Pigs
- Marguerite (Leucanthemum Vulgare)
- Mosquito
- Rats

These non-food items have been identified as those, which may have the potential to cause or contribute to physical symptoms.

We would always recommend prioritising the removal of the Sensitive Reaction items first and then considering the avoidance of Mild Reaction items thereafter.

It is also worth considering that contact with these items in isolation may not cause symptoms, however having contact with a number of Mild Reaction items in the same day may lead to symptoms due to an accumulative effect.



### Your Non-food Sensitivities: Detailed Analysis

- Agaric Mushroom
- Alder
- Algae
- Alstromerias
- American Beech
- Anise
- Aspen (Populus Tremula)
- Aspergillus Fumigatus
- Aspergillus Niger
- Aster
- Baylilly
- Bee
- Bermuda Grass
- Birch Pollen
- Blood Worm
- Bovines
- Box Elder
- Bracken
- Brome Grass
- Buttercup Flower
- Canary Feathers
- Canary Grass
- Carnations
- Castor Bean
- Casuarina Austrian Pine
- Cat Dander
- Cat Serum Albumin
- Cats
- Cedar
- Chaetomium Globosum
- Chinchilla
- Chrysanthemum
- Cladosproium
- Herbarum
- Clover
- Cockroach
- Common Reed
- Common Silver Birch

- Cotton Crop
- Cotton Seed
   Cotton Wool
- Cotton Wool
- Dahlia (Dahlia Hybrida)
- Daisy
- Dandelion
- Deer
- Dogs
- Douglas Fir
- Downy Birch (Betula Verrico)
- Dust
- Elder Plant
- Elm
- English Plantain
- Epicoccum
- Purpurascens
- Eucalyptus
- False Acacia
- (Robinia Pseudacacia)
- False Oat grass
- Ficus
- Finch Feathers
- Firebush
- Formaldehyde
- Fox
- Foxtail Millet
- Fungus/Mould
- (Household) Fusarium
- Moniliforme Gardenia
- GerbilGiant Ragy
- Giant Ragweed
- Glaskraut (Parietaria Judaica)
- Goldenrod (Solidago Virgaurea)
- Granary Weevil
- Grey Alder
- Guinea Pigs
- Gum Arabic
- Hamster

Hawthorn Tree

Meadow Fox Tail

Meadow Grass

**Mistletoe Plant** 

Mountain Juniper

Mealworm

Melaleuca

Mink

Moth

Mouse

Mugwort

Narcissus

Paloverde

Pear Tree

Penicillium

Frequentans

Pepper Tree

Piq

Pine

Pigeons

Pigweed

Sylvestris)

Major)

Paper Wasp

Parrot Feathers

Nettle

Nylon

Mulberry Bush

(Narcissus spp.)

Oak (Quercus Robur)

Penicillium Notatum

Perennial Ryegrass

(Chenopodium Album)

Pine, Scottish (Pinus)

Plantain (Plantago

Primrose (Primulus)

21 (67)

Polka Dot Tree

Poplar Tree

(Lolium Perenne)

Mesquite

Mosquito

Grass

- Hazel Tree
- Honeybee
- Hop (Humulus Lupulus)
- Horse Bot Fly
- Horse Chestnut Plant
- Horses
- House Dust
- House Dust Mite
- Hyacinth (Endymion Non Scriptus)
- Italian Cypress Tree
- Japanese Cedar
- Japanese Millet
- Jasmine Plant
- Johnson Grass
- Juniper Bush
- Kammgras
- (Cynosurus Cristatus)

Lemon Verbena

Lilac (Syringa

Linden Tree

Lisianthus

Lotus Root

Polyphyllus)

Lycopodium

Lupine (Lupinus)

Lovage

Lycra

Maize

Vulgare)

Marguerite

(Leucanthemum

Meadow Fescue

(Festuca Pratensis)

Vulgaris)

- Karaya Gum
- Latex
- LaurelLeather



### Your Non-food Sensitivities: Detailed Analysis contd.

- Privet (Ligustrum spp.)
- Ragweed Plant
- Rapeseed
- Rats
- Rose Plant
- Rubber
- Rye Grass
- Salt Grass
- Seaweed
- Silk
- Snail
- Spruce (Picea Abies)
- Stachybotrys
- Stemphylium Botryosum
- Stinging Nettle
- Storage Mite
- Sunflower
- Sweet Gum
- Sweet Vernal Grass (Anthoxanthum Odoratum)
- Tall Oat Grass (Arrhenaterium Elatius)
- Thistle Plant
- Timothy Grass
- Tobacco
- Tobacco Leaf
- Turkey Feathers
- Ulocladium Chartarum
- Velvet
- Velvet Grass
- Wallflower
- (Cheranthus Cheiri)
- Wasp
- Water Reed (Phragmites Communis)
- Weeping Fig
- White Ash
- White Pine

- Wild Oat (Avena
  - Fatua)
- Wild Rye GrassWillow Tree
- WillowWool
- Woon
   Wormwood
- (Artemisia
- Àbsinthium)



## Hormonal Balance Analysis







### What is hormonal balance?

Hormonal imbalance is one of the most common causes of feeling unwell. So, there are many reasons for poor hormone health - poor diet, chronic stress, poor gut health, poor immune health, sedentary lifestyle, genetics, and increased exposure to endocrine-disrupting chemicals all play a role. All of these factors can cause hormonal imbalance by negatively influencing our steroidogenic pathway.

Due to our modern ways of living (think: poor diet, chronic stress, toxic environment), conditions such as PCOS, endometriosis, infertility, declining testosterone, and hormone sensitive cancers are becoming more common. Most of us are struggling with some sort of hormonal imbalance, however because it's become so common, we're often told symptoms are normal.

If no results are reported in this section of this test, then please do not worry, it means that we have not identified any imbalance in our analysis.

### Your results explained

Understanding your results is of course the important part! To help you with this you will find an overview of your hormonal balance results. This overview summarises the items to focus on, along with the relevant actions to take. All items tested are rated as either Out Of Balance or In Balance, in the overview section you will see only those items, which tested as Out Of Balance. The In Balance items can be found in the detailed analysis section.

### **Out Of Balance**

### In Balance

The level of hormones in your body are out balance of according to our testing parameters.

The level of hormones in your body are in balance according to our testing parameters.



### **Your Hormonal Balance: Overview**

### **Out Of Balance**

No items have been identified as Out Of Balance according to our testing parameters.

Testing your hair sample can show any hormonal imbalances that are currently present in your body. Not everyone has an imbalance, so don't worry if only a small number of results are presented here.

These imbalances can be caused by a large number of factors including: stress, overactive / underactive thyroid, poor diet, being overweight, medication, food intolerances, chemotherapy, puberty, menstruation, pregnancy and menopause.

Any items listed here are showing an imbalance and can be alleviated with natural remedies like: maintaining a healthy body weight, exercise and reducing stress.



### Your Hormonal Balance: Detailed Analysis

- Follicle Stimulating Hormone
- Luteinizing Hormone
- Oestradiol
- Testosterone
- Thyroid Stimulating Hormone
- Thyroxine (T4)
- Triiodothyronine (T3)



### **Your Hormonal Balance: Explained**

### Follicle Stimulating Hormone

Follicle stimulating hormone is produced by the pituitary gland. It regulates the functions of both the ovaries and testes. Lack or insufficiency of it can cause infertility or subfertility both in men and women.

### **Luteinizing Hormone**

This is produced by the pituitary gland and is one that control the reproductive system.

### Oestradiol

This is a steroid hormone made from cholesterol and is the strongest of the three naturally produced oestrogens. It is involved in the regulation of the oestrous and menstrual female reproductive cycles.

### Testosterone

Testosterone is a hormone that is responsible for many of the physical characteristics specific to adult males. It plays a key role in reproduction and the maintenance of bone and muscle strength.

### **Thyroid Stimulating Hormone**

Thyroid stimulating hormone is produced by the pituitary gland. It's role is to regulate the production of hormones by the thyroid gland.

### Thyroxine (T4)

Thyroxine is the main hormone secreted into the bloodstream by the thyroid gland. It plays vital roles in digestion, heart and muscle function, brain development and maintenance of bones.

### Triiodothyronine (T3)

Triiodothyronine is a thyroid hormone that plays vital roles in the body's metabolic rate, heart and digestive functions, muscle control, brain development and function, and the maintenance of bones.





## Gut Biome Analysis







### What is gut biome?

These are the good bacteria found within your gut microbiome.

These bacteria can affect your health, minimise illness and the synthesis of vitamins depending on the different levels. Vitamins are not only obtained through foods, they are also produced in the gut by bacteria. Any items on this list are found at 15% or under and it is recommended you increase the levels through consumption of the items listed, much like the nutritional deficiencies on the test above.

If no results are reported in this section of this test, then please do not worry, it means that we have not identified any deficiencies in our analysis.

### Your results explained

Understanding your results is of course the important part! To help you with this you will find an overview of your gut biome results. This overview summarises the items to focus on, along with the relevant actions to take. All items tested are rated as either Out Of Balance or In Balance, in the overview section you will see only those items, which tested as Out Of Balance. The In Balance items can be found in the detailed analysis section.

### **Out Of Balance**

The level of good bacteria in your body are out of balance according to our testing parameters. In Balance

The level of good bacteria in your body are in balance according to our testing parameters.



### **Your Gut Biome: Overview**

### **Out Of Balance**

No items have been identified as Out Of Balance according to our testing parameters.

These are the good bacteria found within your gut microbiome. These bacteria can affect your health, minimise illness and the synthesis of vitamins depending on the different levels. Vitamins are not only obtained through foods, they are also produced in the gut by bacteria.

Any items on this list are found at 15% or under and it is recommended you increase the levels through consumption of the items listed.



### Your Gut Biome: Detailed Analysis

- Acidophilus
- Acidophilus Bifidus
- Bifidobacterium Bifidum
- Escherichia Coli
- Lactobaccillus
- Lactobacillus Reuteri
- Streptococcus Faecium
- Stroptoo
- Streptococcus Thermophilus
- Streptomyces



### **Your Gut Biome: Explained**

#### Lactobacillus Acidophilus

Found in the small intestines, this bacteria is very important as it creates Vitamin K and infection fighting agents.

Sources: Fermented vegetables, sauerkraut, miso, fermented cheese, kefir, yogurt, tempeh, pickles, kimchi, green olives, wine, and sourdough bread.

#### Streptomyces

Utilised to make antifungal agents and to treat infections.

#### **Bifidobacterium Bifidum**

Used to repair stomach ulcers and helps to stop constipation.

Sources: Whole grains like oats and barley. Fermented foods like yoghurt and kimchi.

#### **Bacillus Coagulans**

Useful in the treatment of gastrointestinal disorders, such as diarrhoea.

Sources: Fermented foods like sauerkraut, kimchi and yoghurt.

#### Lactobacillus Reuteri

Strengthens the breast's intestines and helps to fight inflammation.

Sources: Milk products like yoghurt and cheese.

#### Escherichia Coli

Found in the intestines, helps to treat bowel diseases like Crohn's Disease, Constipation, Irritable bowel Syndrome, etc. Does not cause food poisoning in its natural surroundings.

#### **Acidophilus Bifidus**

Produces lactic acid and hydrogen peroxide. Reduces cholesterol and prevents the growth of hostile yeasts. Cleanses the bloodstream by removing toxins and boosting the immune system.

Sources: Whole grains like oats and barley. Fermented foods like yoghurt and kimchi.

#### **Streptococcus Thermophilus**

Helps to prevent diarrhoea by maintaining the health of the digestive system.

Sources: Dairy products like yoghurt.

#### Streptococcus Faecium

Found in the intestines. Helps to alleviate the symptoms of nasal cavity infections, irritable bowel symptoms and baby colic.





## Digestive Health and Metabolism Analysis







### What is digestive health and metabolism?

Our bodies are very good at self-regulating the enzymes used in digestion; However, when we are sick or regularly surrounded by food and non-food intolerances, we can become unbalanced. This can affect our metabolism and our weight by causing us to store higher levels of fat or by storing fewer elements, which causes less absorption of vitamins and minerals.

We have tested your sample against a variety of enzymes and proteins to verify levels in your system. Everything shown below is currently unbalanced and will adversely affect your digestive health. Exercise, a healthy diet and living in an environment of reduced stress will help you self-regulate again.

If no results are reported in this section of your test, do not worry, it means that we have not identified deficiencies or intolerances in our analysis.

### Your results explained

Understanding your results is of course the important part! To help you with this you will find an overview of your metabolism results. This overview summarises the items to focus on, along with the relevant actions to take. All items tested are rated as either Out Of Balance or In Balance, in the overview section you will see only those items, which tested as Out Of Balance. The In Balance items can be found in the detailed analysis section.

### **Out Of Balance**

The level of enzymes in your body are out of balance according to our testing parameters.

### In Balance

The level of enzymes in your body are in balance according to our testing parameters.



### **Digestive Health and Metabolism: Overview**

### **Out Of Balance**

No items have been identified as Out Of Balance according to our testing parameters.

Our bodies are very good at self-regulating the enzymes used in digestion. However, when we are sick or regularly surrounded by food and non-food intolerances, we can become unbalanced. This can affect our metabolism and our weight by causing us to store higher levels of fat or by storing fewer elements, which causes less absorption of vitamins and minerals.

We have tested your sample against a variety of enzymes and proteins to verify levels in your system. Everything shown above is currently unbalanced and will adversely affect your digestive health. Exercise, a healthy diet and living in an environment of reduced stress will help you self-regulate again. If no results are reported in this section of your test, do not worry, it means that we have not identified deficiencies or intolerances in our analysis.



### Digestive Health and Metabolism: Detailed Analysis

- Amylase
- Bile Salts
- Enterokinase
- Lipase
- Pepsin
- Trypsin and Chymotrypsin



### **Digestive Health and Metabolism: Explained**

### Amylase

Amylase breaks down carbohydrates (starches) into simpler sugars. Irregular levels can affect the pancreas.

### **Bile Salts**

Bile salts are increased during pregnancy, and other times of extreme body stress. It affects the liver and irregular levels can cause bile acid concentrations.

### Enterokinase

Enterokinase is a sequence-specific protease found within the intestinal tract.

### Lipase

Lipase along with bile from the gallbladder, breaks down fats into glycerol and fatty acids.

### Pepsin

Pepsin is the enzyme responsible for the digestion of protein. More specifically, pepsin is a protease originating from pepsinogen secreted into gastric juice from chief cells. An imbalance can cause acid reflux.

### **Trypsin & Chymotrypsin**

These two are proteolytic enzymes. Their job is to digest protein in the small intestine.





## Metal Sensitivities Analysis







### What is metal toxicity?

Metal toxicity is the build-up of large amounts of heavy metals in the soft tissues of the body. The heavy metals most commonly associated with toxicity are lead, mercury, arsenic and cadmium.

Exposure usually occurs through industrial exposure, pollution, food, medication, improperly coated food containers or the ingestion of leadbased paints.

Symptoms vary between the different types of heavy metals.

### What to do if you have high levels of exposure?

It is important to look at lowering your day-to-day level of exposure.

Consider your environment, the foods you eat, water, cosmetics and cleaning products. The body is constantly detoxifying things from your everyday environment such as chemicals in foods, cosmetics and cleaning products, caffeine, alcohol, medications and even your own hormones.

You can help your body with detoxification processes by ensuring you; drink plenty of filtered water, eat a diet that is as wholefood as possible, avoid processed foods, reduce caffeine and/or alcohol consumption, lower nicotine usage and exercise regularly.



### **Potential sources in your environment**

Heavy metals are a part of our everyday life and at low levels are detoxified by the body causing no issue. However it is beneficial to have a greater awareness of where you may come into contact with metals and therefore help you reduce your potential exposure.

**Food** - Pesticides, insecticides and herbicides used on crops can lead to contaminated food produce. Contaminated water can result in fish and seafood containing heavy metals.

**Water -** Pipework that water runs through is the most likely cause of any heavy metals in drinking water. For this reason it is always best to filter your water.

**Air** - Pollution from vehicles such as cars, trains and aeroplanes contributes to heavy metals, which can be inhaled. Industrial factories and agricultural areas, which use pesticides on crops are also ways metals get into the air we breathe.

**Cosmetics -** Lead, arsenic, mercury, aluminium, zinc and chromium can be found in many cosmetics such as lipstick, whitening toothpaste, eyeliner, nail polish, moisturiser, sunscreen, foundation, blusher, concealer and eye drops. Some metals are added as ingredients whilst others are contaminants.

**Cleaning products** - Everyday household cleaning products like polish, all purpose sprays and garden products like insecticides and pesticides contain heavy metals.

### Your results explained

To help you interpret your results you will find an overview of your metal sensitivities. This overview summarises the items to focus on along with the relevant actions to take. All items tested are rated as either Sensitive, Mild or No Reaction, in the overview section you will see only those items, which tested as Sensitive or Mild. The No Reaction items can be found in the detailed analysis section.

Ideally the metals will show No Reaction in testing. If however there are metals identified as Mild or Sensitive Reaction do not panic. Through lowering daily exposure and helping your body with detoxification processes your body can reduce its own toxicity levels.

### **Sensitive Reaction**

These are the metals that our testing shows are at a level that could lead to toxicity.

**Mild Reaction** 

These are the metals that our testing shows risk being at a level that may lead to toxicity.

### **No Reaction**

These are the metals that our testing shows are not at a level that could lead to toxicity.



### **Your Metal Sensitivities: Overview**



• Gold

- Molybdenum
- Niobium
- Tungsten

### **Mild Reaction**

• Iron

Selenium

These metals have been identified as ones to which you should monitor your exposure. It is also recommended that you aid your body's natural detoxification processes by ensuring you drink plenty of filtered water, eat a diet that is rich in wholefoods (particularly fruits and vegetables), avoid processed foods, reduce caffeine and/or alcohol intake, lower nicotine usage and exercise regularly.

### **No Reaction**

- Aluminium
- Amalgam
- Antimony
- Barium
- Beryllium
- Bismuth
- Boron
- Brass
- Bronze
- CadmiumCerium

- ChromiumCobalt
- Copper
- Dysprosium
- Erbium
- Europium
- Gallium
- Iridium
- Lanthanum
- Lead
- Lithium

- Magnesium
- Manganese
- Mercury
- Nickel
- Palladium
- Pewter
- Platinum
- Rhodium
- Scandium
- Silicon
- Silver

- Solder
- Stainless Steel
- Strontium
- Tin
- Titanium
- Vanadium
- Zinc
- Zirconium

These metals have been identified as being at a low or No Reaction level. Your body can detoxify and rid itself of these. You can see the full breakdown of metals tested in the metal sensitivities detailed analysis section.



### Your Metal Sensitivities: Detailed Analysis

- Aluminium
- Amalgam
- Antimony
- Barium
- Beryllium
- Bismuth
- Boron
- Brass
- Bronze
- Cadmium
- Cerium
- Chromium
- Cobalt
- Copper
- Dysprosium
- Erbium
- Europium
- Gallium
- Gold
- Iridium
- Iron
- Lanthanum
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Niobium
- Palladium
- Pewter
- Platinum
- Rhodium
- Scandium
- Selenium
- Silicon
- Silver
- Solder
- Stainless Steel
- Strontium
- Tin
- Titanium

- Tungsten
  - Vanadium
  - Zinc
  - Zirconium



## Minerals and Nutrients Analysis





### Low mineral levels

There are recommended daily amounts of each mineral that should be consumed on a daily basis. However mineral requirements do vary from person to person depending upon life stage, activity level, stress level, health conditions and medications. Low mineral levels occur when the dietary intake is lower than required or when the body is struggling to effectively absorb minerals from the food.



### What are phytonutrients?

Phytonutrients are natural chemicals produced by plants to help them protect themselves from things like insects and the sun. By eating foods which contain phytonutrients we, as humans, can benefit from these natural compounds and use them for health benefits.

Unlike minerals there are no recommended daily amounts to consume. However we do know that the different phytonutrients confer different health benefits in the body such as supporting cardiovascular health, strengthening the immune system, improving eye health, reducing cholesterol and boosting energy. Therefore these nutrients are recommended for optimal health.

## What should you do if you have low mineral or phytonutrient levels?

The daily diet is the first consideration if you have low mineral levels. It is the most natural and best way of improving mineral or phytonutrient intake. Minerals come from the soil, and the greater the quality and richness of the soil, the greater the mineral density of a plant. The best sources of minerals are fruits, vegetables, grains, pulses, nuts and seeds. By including such produce in your diet you will also benefit from phytonutrients. For guidance on specific minerals and the foods where they are found see 'The role of food types' in the Food Sensitivity section. Ideally nutrients should all be consumed through the diet, however if this is not possible due to dietary restrictions or dislikes supplementation is an option. Please note it is always recommended that any supplementation is taken under the advice and monitoring of a health professional. Should you suspect that you could have a mineral deficiency please seek the advice of your physician.

### **Out Of Balance**

The level of the mineral or other nutrients in your body are out of balance according to our testing parameters.

### In Balance

The level of the mineral or other nutrients in your body are balanced according to our testing parameters.



### Your Minerals and Nutrients: Overview

### **Out Of Balance**

No items have been identified as Out Of Balance according to our testing parameters.

These minerals and/or other nutrients have been identified as falling below the normal range. Look to increase the nutrient density of your daily diet through fruits, vegetables, grains, pulses, nuts and seeds. For more specific guidance on where to find each mineral please see 'The role of food types' in the Food Sensitivity section.

### **In Balance**

- Calcium
- Chromium
- Copper
- Iodine
- Iron
- Magnesium
- Manganese

Zinc

- Potassium
- Sodium

These minerals and/or other nutrients have been identified as falling within the normal range. Keep up the good work, maintaining a nutrient-rich daily diet to ensure your mineral levels remain consistent.



### Your Minerals and Nutrients: Detailed Analysis

- Calcium
- Chromium
- Copper
- Iodine
- Iron
- Magnesium
- Manganese
- Potassium
- Sodium
- Zinc



## Vitamins Analysis







### Low vitamin levels

There are recommended daily amounts of each vitamin that should be consumed on a daily basis. However vitamin requirements do vary from person to person depending upon life stage, activity level, stress level, health conditions and medications.

Low vitamin levels occur when the dietary intake is lower than required or when the body is struggling to effectively absorb minerals from the food.

## What should you do if you have low vitamin levels?

The daily diet is the first consideration if you have low vitamin levels. It is the most natural and best way of improving intake. Vitamins come from a variety of sources, the richest sources being unrefined choices. For guidance on specific vitamins and the foods where they are found see 'The role of food types' in the Food Sensitivity section.

Ideally nutrients should all be consumed through the diet, however if this is not possible due to dietary restrictions or dislikes supplementation is an option. Please note it is always recommended that any supplementation is taken under the advice and monitoring of a health professional. Should you suspect that you could have a vitamin deficiency please seek the advice of your physician.

### Your results explained

### **Outside Range**

The level of the vitamin in your body falls below the normal range according to our testing parameters.

### Within Range

The level of the vitamin in your body falls within the normal range according to our testing parameters.



### **Your Vitamins: Overview**

### **Outside Range**

- Germanium
- Homocysteine
- Isoleucine • Vitamin A2
- Vitamin B13
- Vitamin B3

These vitamins have been identified as falling below the normal range. Look to increase the nutrient density of your daily diet through fruits, vegetables, grains, pulses, nuts and seeds, good quality meat, fish, eggs and dairy produce. For more specific guidance on the best sources of each vitamin please see 'The role of food types' in the Food Sensitivity section.

### Within Range

- Adenine
- Alpha Lipoic Acid
- Anthocyanidins
- Arginine
- Ascorbic Acid
- Asparagine
- Beta-Carotene
- Betaine
- Biotin
- Bromelain
- Carotenoids
- Choline
- Citrus Bio-Flavonoids
- CoQ10
- Creatin
- Cysteine

- Docosahexaenoic Acid
- Eicosapentaenoic Acid
- Ellagic Acid
- Fibre
- Flavonoids
- Folate
- Folic Acid
- Gallic Acid
- Genistein
- Glutamine
- Glutathione
- Glycine
- Histidine
- Inositol
- Iso-Flavonoids •

- L-Carnitine
- L-Glutamine
- Lecithin
- Leucine
- Lignans
- Lutein
- Lycopene
- Melatonin
- Molybden
- Omega 3
- Omega 6
- Phenylalanine
- Vitamin A1
- Vitamin B12
- Vitamin B17

- Vitamin B2
- Vitamin B4
- Vitamin B5 Vitamin B6
- Vitamin C
- Vitamin D
- Vitamin D2
- Vitamin D3
- Vitamin D4
- Vitamin E
- Vitamin F
- Vitamin K1
- Vitamin K2
- Zeaxanthin

These vitamins have been identified as falling within the normal range. Keep up the good work, ensuring a nutrient-rich daily diet to ensure your vitamin levels remain consistent.

- - - Vitamin A

    - Vitamin B1



### **Your Vitamins: Detailed Analysis**

- Adenine
- Alpha Lipoic AcidAnthocyanidins
- Arginine
- Ascorbic Acid
- Asparagine
- Beta-Carotene
- Betaine
- Biotin
- Bromelain
- Carotenoids
- Choline
- Citrus Bio-Flavonoids
- CoQ10
- Creatin
- Cysteine
- Docosahexaenoic Acid
- Eicosapentaenoic Acid
- Ellagic Acid
- Fibre
- Flavonoids
- Folate
- Folic Acid
- Gallic Acid
- Genistein
- Germanium
- Glutamine
- Glutathione
- Glycine
- Histidine
- Homocysteine
- Inositol
- Iso-Flavonoids
- Isoleucine
- L-Carnitine
- L-Glutamine
- Lecithin
- Leucine
- Lignans
- Lutein

- Lycopene
- Melatonin
- Molybden
- Omega 3
- Omega 6
- Phenylalanine
- Vitamin A
- Vitamin A1
- Vitamin A2
- Vitamin B1
- Vitamin B12Vitamin B13
- Vitamin B13
- Vitamin B2
- Vitamin B2
   Vitamin B3
- Vitamin B4
- Vitamin B5
- Vitamin B6
- Vitamin C
- Vitamin D
- Vitamin D2
- Vitamin D3
- Vitamin D4
- Vitamin E
- Vitamin F
- Vitamin K1
- Vitamin K2
- Zeaxanthin



## Additives Analysis







### What are additives?

Additives are substances, which are added to food for a specific reason such as; to improve the look or taste of a food, to preserve a food and make it last longer on the shelf, to aid food processing and manufacturing, to stabilise a food and keep it safe to eat.

The main types of additives are colourings, flavour enhancers, sweeteners, antioxidants, emulsifiers, stabilisers and preservatives. They can be natural, man-made but nature identical or artificial.

### Your results explained

Understanding your results is of course the important part! To help you with this you will find an overview of your additives results. This overview summarises the items to focus on along with the relevant actions to take. All items tested are rated as either Sensitive, Mild or No Reaction.

### **Sensitive Reaction**

These are the additives that our testing shows you have sensitivity to.

### **Mild Reaction**

These are the additives that our testing shows you could potentially have sensitivity to.

### **No Reaction**

These are the additives that our testing shows you do not have sensitivity to.



### **Your Additives: Overview**

**Sensitive Reaction** 

- E100 Curcumin
- E122 Carmoisine
- E151 Brilliant Black
- E202 Potassiumsorbate, Sorbic Acid
- E212 Potassiumbenzoate, Benzoic Acid
- E228
   Potassiumhydrogen
   Sulphite (sulphur
   dioxide)
- E251 Sodiumnitrate
  E284 Boric Acid
- E306 Natural Tocopherols (victamin e)
- E339 Monosodiumphoshate, Disodium, Trisodium
- E405 Propylene Glycol Alginate, Alginate
- E410 Locust Bean Gum, Carob Gum
- E450
  Diphosphate,
  Phosphate
  E465
  - Ethylmethylcellulose

These additives have been identified as those, which may be causing or contributing to physical symptoms. We would recommend the removal of these additives from your daily diet as far as possible.

Additives are most likely to be found in processed products, therefore eating a diet that is rich in natural, whole food produce and low in processed foods will enable the removal of many additives from your daily diet.

### **Mild Reaction**

- E124 Ponceau 4r
- E132 Indigo Carmine
- E1410 Monostarch PhosphatE (modified starch)
   E210 Benzoic

Acid

- E263 Calciumacetate, Salt of Acetic Acid
- E297 Fumaric Acid
  E326 Potassiumlactate (salts from lactic acid)
- E338 Orthophosphoric Acid, Phosphoric Acid
   E350
- Sodiummalate, Sodiumhydrogen Malate
- E407
- Carrageenan • E902 Candelilla Wax
- E948 Oxygen
- E951 Aspartame

These additives have been identified as those, which may have the potential to cause or contribute to physical symptoms. We would always recommend prioritising the removal of the Sensitive Reaction items first and then considering the avoidance of Mild Reaction items thereafter.

Additives are most likely to be found in processed products, therefore eating a diet that is rich in natural, whole food produce andlow in processed foods will enable the removal of many additives from your daily diet. It is also worth considering that having these items in isolation may not cause symptoms, however having contact with a number of Mild Reaction items in the same day may lead to symptoms due to an accumulative effect.



### Your Additives: Overview contd.



You can see the full breakdown of additives showing no reaction in the additives detailed analysis section.



### Your Additives: Overview contd.

If you would like further information on a particular additive we have set out a variety of different sources you can use. In the appendix you will find details of the full name of each additive. \*Please note not all of these additives are on the test.\*

This website gives the names of branded products, which contain a given additive. Search the database using the full name of the additive rather than the number. For example under 'search for a product' put aspartame rather than E951.

This website gives a good level of detail on an extensive list of additives.

- E100-E200
- E200-E300
- E300-E400
- E400-E500
- E500-E600
- E600-E700
- E900-E1000
- E1000-E1300E1400-E1500
- E1400-E1500
  E1500-E1525





### Your Additives: Detailed Analysis

### **E Numbers**

- E100 Curcumin
- E101 riboflavin (vit. b2)
- E102 Tartrazine
- E104 Ouinoline Yellow
- E110 Sunset Yellow Fcf
- E1105 lysozyme E120 cochineal,
- carminic acid, carmine E122 Carmoisine
- E123 Amaranth
- E124 Ponceau 4r
- E127 ErythrosinE
- E128 Rot 2 g
- E129 Allura red ac
- E131 Patent bluE v
- E132 Indigo Carmine
- E133 Brilliant bluE fcf
- E140 Chlorophylls and Chlorophyllins
- E141 Chlorophylls
- E1410 Monostarch PhosphatE (modified starch)
- E150 B SulphitE lyE
- E150 C Ammoniac Caramel
- E150 Caramel
- E151 Brilliant Black E1518 GlycerinE
- TriacetatE (triacetin)
- E154 Brown Fk
- E155 Brown

- E160 A CarotenE (mixed carotene, beta-
- carotene) E160 B Annatto, **Bixin**, Norbixin
- E160 Capsorubin
- E160 E Beta (carotinoid)
- E161 B Lutein
- E161 G
- Canthaxanthin E162 Beetroot Red
- (betanin)
- E163 Anthocyanins
- E170
- Calciumcarbonate E172 Iron Oxides.
- **Iron Hydroxides**
- E173 Aluminium
- E174 Silver
- E175 Gold
- E180 Lithol Rubine
- E200 Sorbic Acid E202
- Potassiumsorbate, Sorbic Acid
- E203 Calciumcorbat, Sobric Acid processed cheese spreads
- E210 Benzoic Acid
- E211 Sodiumbenzoate, Benzoic Acid
- E212 Potassiumbenzoate,
- **Benzoic Acid** E213
- Calciumbenzoate, **Benzoic Acid**
- E221 Sodiumsulphite (sulphur dioxide)

### **E Numbers**

- E222 Sodiumhydrogen Sulphite (sulphur
- dioxide) E223 Sodiummetabisulphite (sulphur dioxide)
- E224 Potassiummetabisulphite Propionic Acid (sulphur dioxide)
- E226 Calciumsulphite
- (sulphur dioxide) E227 Calciumhydrogen Sulphite (sulphur dioxide)
- E228 Potassiumhydrogen Sulphite (sulphur dioxide)
- E230 Biphenyl, Diphenyl
- E232
- Ascorbate (ascorbic orthophenylphenol
- E233 Thiabendazole F249
- Potassiumnitrite
- E250 Sodiumnitrite E251 Sodiumnitrate
- E252
- Potassiumnitrate
- E260 Acetic Acid
- E261
  - Potassiumacetate, Salt of Acetic Acid
- E262 Sodiumacetate, Salt of Acetic Acid Vinegar Flavour to Potato Crisps

- E263
- Calciumacetate, Salt of Acetic Acid
- E270 Lactic Acid
- E280 Propionic Acid
- E281
- Sodiumpropionate, **Propionic Acid**
- E282
- Calciumpropionate,
- E283 Potassiumpropionate, **Propionic Acid**
- E284 Boric Acid
- E285 Sodiumtetraborate, **Boric Acid**
- E290 Carbon Dioxide, Carbonic Acid
- E296 Malic Acid
- E297 Fumaric Acid
- E300 Ascorbic Acid (vitamin c)
- E301 Sodiuml-

ăcid)

- E302 Calciuml-Ascorbate (ascorbic acid)
- E304 Ascorbyl Palmitate/ascorbyl stearate
- E306 Natural Tocopherols (victamin e)
- E307 Alpha-Tocopherol (tocopherol)
- E308 Gamma-Tocopherol (tocopherol)
- E309 Delta-Tocopherol (tocopherol)



### Your Additives: Detailed Analysis contd.

### **E Numbers**

- E310 Propyl Gallate (gallate)
- E311 Octyl Gallate (gallate)
- E312 Dodecyl Gallate (gallate)
- E315 Isoascorbic Acid
- E316
- Sodiumisoascorbate E320 Butylated
- Hydroxyanisole (bha) E321 Butylated
- Hydroxytoluene E325 Sodiumlactate
- (salts from lactic acid) E326
- Potassiumlactate (salts from lactic acid)
- E327 Calciumlactate (salts from lactic acid)
- E330 Citric Acid E331
- Monosodiumcitrate, Disodium, Trisodium
- E332 Monopotassiumcitrate, Tripotassium
- E333 Monocalciumcitrate, **Dicalcium**, Tricalcium
- E334 Tartaric Acid (I+), Tartaric Acid

E335 Monosodiumtartrate, Disodiumtartrate

- E336
- Monopotassiumtartrate, Dipotassiumtartrate
- E337 Sodiumpotassiumtartrate E401 (salts from tartaric acid)
- E338
- Orthophosphoric Acid, Phosphoric Acid
- E339 Monosodiumphoshate, Disodium, Trisodium
- E340
- E341 Monocalciumphosphate, E405 Propylene
- Dicalcium, Tricalcium E350 Sodiummalate, Sodiumhydrogen
- Malate E351
- Potassiummalate (salts from malic acid)
- E352 Calciummalate E353 Metatartaric
- Acid E354
- Calciumtartrate (salts from malic acid)
- E355 Adipic Acid
- E356 Sodiumadipate E357
- Potassiumadipate
- E363 Succinic Acid
- E380
- Triammoniumcitrate (salts from citric acid) E385
  - Calciumsodiumethylene **Diamine Tetra-Acetate** (edta)

### **E Numbers**

- E400 Alginic Acid, Alginate
- Sodiumalginate, Alginate
- E402 Potassiumalginate, Alginate
- E403 Ammoniumalginate,
- Alginate E404
- MonopotassiumphosphateCalciumalginate, Alginate
  - Glycol Alginate, Alginate
  - E406 Agar
  - E407 A Eucheuma Algae, Treated
  - E407 Carrageenan
  - E410 Locust Bean Gum, Carob Gum
  - E412 Guar Gum
  - E414 Gumarabic
  - E415 Xanthan Gum
  - E417 Tara Meal
  - E418 Gellane
  - E420 Sorbit, Sorbit Syrup
  - E421 Mannite
  - E422 Glycerine
  - E450 Diphosphate, Phosphate
  - E451 Triphosphate, Phosphate
  - E452 Polyphosphate
  - E460 Cellulose, Microcrystalline Cellulose, Cellulose powder
  - E461 Methylcellulose
  - E463
  - Hydroxypropylcellulose

### E464

- Hydroxypropylmethylcellose
- E465
- Ethylmethylcellulose
- E470 A Sodium Salts
- E470 B Magnesiumsalts of
- **Edible Fatty Acids** E471 Mono and Diglyceride
- E472 A Acetic Acid Esters of Mono and Diglycerides
- E474
- Sucroglycerides
- E475 Polyglycerol **Esters of Fatty Acids**
- E476 Polyglycerol Polyricinoleate
- E477 Propane-1, 2-**Diol Esters of Fatty** Acids
- E479 Thermo-**Oxidised Soya Oil**
- E481 Sodiumstearoyl-2-Lactylate
- E491 Sorbitan Monostearate
- E620 Glutamic Acid
- E621 Monosodiumglutamate, Sodiumglutamate
- E622
- Monopotassiumglutamate, Potassiumglutamate
- E623 Calciumdiglutamate, Calciumglutamate



### Your Additives: Detailed Analysis contd.

### **E Numbers**

E624 Monoammonlumglutamate, Ammoniumglutamate E625 Magnesiumdiglutamate, Magnesiumglutamate E901 Bees Wax, White and Yellow E902 Candelilla Wax E903 Carnauba Wax E904 Shellac E927 Carbanide **Bread Enhancer** E938 Argon E939 Helium E941 Nitrogen **Propellant in Spray** Cans E948 Oxygen E951 Aspartame



# What can you do next?





## This is where your journey to a healthier life begins

You have read through all of your results, so what now? As we said at the beginning of the report we believe that these test results can be the start of your journey towards a healthier life.

The next step we would recommend is the completion of an elimination diet. This entails the removal of all reactive foods for a period of time followed by reintroduction. The elimination diet is a powerful tool, which provides much clarity for individuals on which foods work for them and which do not.

### Aims and objectives

Before you embark upon any new project, venture or undertaking, in this case making positive dietary changes, it is always good to write down your aims and objectives. You can refer back to these notes in times of doubt or to reflect on whether you achieved your objectives.

You can use the notes section below to jot down any key pieces of information from the test results and also your objectives for the elimination diet and beyond.

## We advise you to read and follow the advice contained in this report.

Sometimes all you need is a little push in the right direction. This report is designed to help you on the journey to a healthier and happier lifestyle.





### **E-Numbers Explained**

### **Additives**

- E 300 Ascorbic acid (L-) (vitamin C)
- E 301 Sodium L-ascorbate (ascorbic acid)
- E 302 Calcium L-ascorbate (ascorbic acid)
- E 304 Ascorbyl palmitate / ascorbyl stearate
- **E 306** Natural tocopherols (vitamin E)
- **E 307** Synthetic alpha-tocopherol (tocopherol)
- E 308 Synthetic gamma-tocopherol (tocopherol)
- E 309 Synthetic delta-tocopherol (tocopherol)
- E 310 Propyl gallate (gallate)
- E 311 Octyl gallate (gallate)
- E 312 Dodecyl gallate (gallate)
- E 315 Isoascorbic acid
- E 316 Sodium isoascorbate
- E 320 Butylated hydroxyanisole (BHA)
- E 321 Butylated hydroxytoluene
- E 322 Lecithins
- E 325 Sodium lactate (salts from lactic acid)
- E 326 Potassium lactate (salts from lactic acid)
- E 327 Calcium lactate (salts from lactic acid)
- E 330 Citric acid
- E 331 Monosodium citrate, disodium c., trisodium c
- E 332 Monopotassium citrate, tripotassium c.
- E 333 Monocalcium citrate, dicalcium c., tricalcium c.

### Colours

- E 100 Curcumin
- E 101 Riboflavin (vit. B2), riboflavin-5'-phosphate
- E 102 Tartrazine
- E 104 Quinoline yellow
- E 110 Sunset yellow FCF, orange yellow S
- E 120 Cochineal, carminic acid, carmines
- E 122 Carmoisine
- E 123 Amaranth
- E 124 Ponceau 4R
- E 127 Erythrosine
- E 128 Red 2 G
- E 129 Allura red AC
- E 131 Patent blue V
- E 132 Indigo carmine
- E 133 Brilliant blue FCF
- E 140 Chlorophylls and chlorophyllins
- E 141 Chlorophyllins (Cu complexes)
- E 142 Green S
- E 150 a Caramel
- E 150 b Caustic sulphite caramel
- E 150 c Ammonia caramel
- E 150 d Ammonia sulphite caramel

- E 334 Tartaric acid (L+), tartaric acid
- E 335 Monosodium tartrate, disodium tartrate
- E 336 Monopotassium tartrate, dipotassium tartrate
- E 337 Sodium potassium tartrate (salts from tartaric acid)
- **E 338** Orthophosphoric acid, phosphoric acid
- **E 339** Monosodium phosphate, disodium p., trisodium p.
- **E 340** Monopotassium phosphate, dipotassium p. tripotassium p.
- E 341 Monocalcium phosphate, dicalcium p., tricalcium p.
- E 350 Sodium malate, sodium hydrogen malate
- E 351 Potassium malate (salts from malic acid)
- E 352 Calcium malate, calcium hydrogen malate
- E 353 Metatartaric acid
- E 354 Calcium tartrate (salts from malic acid)
- E 355 Adipic acid
- E 356 Sodium adipate
- E 357 Potassium adipate
- E 363 Succinic acid
- E 380 Triammonium citrate (salts from citric acid)
- **E 385** Calcium sodium ethylene diamine tetraacetate (EDTA)
- E 151 Brilliant black BN, black PN
- E 153 Vegetable carbon
- E 154 Brown FK
- E 155 Brown HT
- E 160 a Carotene (mixed carotenes, betacarotenes)
- E 160 b Annatto, bixin, norbixin
- E 160 c Capsanthin, capsorubin
- E 160 d Lycopene
- E 160 e Beta-apo-8'-carotenal, (carotinoid)
- E 160 f Ethyl ester of beta-apo-8'-carotenoic acid
- E 161 b Lutein
- E 161 g Canthaxanthin
- E 162 Beetroot red (betanin)
- E 163 Anthocyanins
- E 170 Calcium carbonate
- E 171 Titanium dioxide
- E 172 Iron oxides, iron hydroxides
- E 173 Aluminium
- E 174 Silver
- E 175 Gold
- E 180 Lithol rubine BK



### **E-Numbers Explained contd.**

### **Emulsifiers**

- **E 432** Polyoxyethylenesorbitan-monolaurate (polysorbate 20)
- **E 433** Polyoxyethylenesorbitan-monooleate (polysorbate 80)
- **E 434** Polyoxyethylenesorbitan-monopalmitate (polysorbate 40)
- **E** 435 Polyoxyethylenesorbitan-monostearate (polysorbate 60)
- **Ě 436** Polyoxyethylene-sorbitantristearate (polysorbate 65)
- E 440 Pectin, amidated pectin
- E 442 Ammonium phosphatides
- **E 444** Sucrose-acetate-isobutyrate
- E 445 Glycerol esters of wood resin
- E 450 Potassium and sodium diphosphates
- E 451 Potassium and sodium triphosphates
- E 452 Polyphosphates
- E 460 Cellulose, microcrystalline cellulose, cellulose powder
- E 461 Methylcellulose
- E 463 Hydroxypropylcellulose
- E 464 Hydroxypropylmethylcellulose
- E 465 Methylethylcellulose
- E 466 Carboxymethylcellulose
- E 470 a Sodium-, potassium- and calcium salts
- E 470 b Magnesium salts of fatty acids

### **Flavour enhancers**

- E 620 Glutamic acid
- E 621 Monosodium glutamate, sodium glutamate
- E 622 Monopotassium glutamate, potassium glutamat
- E 623 Calcium diglutamate, calcium glutamate
- E 624 Monoammonium glutamate, ammonium glutamate
- E 625 Magnesium diglutamate, magnesium glutamate
- E 626 Guanylic acid, guanylate
- E 627 Disodium guanylate, guanylate
- E 628 Dipotassium guanylate, guanylate
- E 629 Calcium guanylate, guanylate
- E 630 Inosinic acid, ionisate
- E 631 Disodium ionisate, ionisate

- E 471 Mono- and diglycerides
- E 472 a Acetic acid esters of mono- and diglycerides
- E 472 b Lactic acid esters of mono- and diglycerides
- E 472 c Citric acid esters of mono- and diglycerides
- E 472 d Tartaric acid esters of mono- and diglycerides
- E 472 e Diacetyltartaric acid esters of mono- and diglycerides
- E 472 f Mixed esters of mono- and diglycerides
- E 473 Sucrose esters of mono- and diglycerides
- E 474 Sucroglycerides
- E 475 Polyglycerol esters of fatty acids
- E 476 Polyglycerol polyricinoleate
- E 477 Propylene glycol esters of fatty acids
- **E 479** Thermo-oxidised soya oil
- E 481 Sodium stearoyl-2-lactylate
- E 482 Calcium stearyol-2-lactylate
- E 483 Stearyl tartrate
- E 491 Sorbitan monostearate
- E 492 Sorbitan tristearate
- E 493 Sorbitan monolaurate
- E 494 Sorbitan monooleate
- E 495 Sorbitan monopalmitate
- E 632 Dipotassium ionisate, ionisate
- E 633 Dicalcium ionisate
- E 634 Calcium ribonucleotides
- E 635 Disodium ribonucleotides
- E 640 Glycine and its sodium salts
- E 900 Dimethylpolysiloxane
- E 901 Bees wax, white and yellow
- E 902 Candelilla wax
- E 903 Carnauba wax
- E 904 Shellac
- E 912 Montanic acid ester
- E 914 Polyethylene wax oxidates
- E 927 b Carbamide
- E 938 Argon



### **E-Numbers Explained contd.**

### Miscellaneous additives

- **E 500** Sodium carbonate, sodium hydrogen carbonate, sodium sesquicarbonate
- **E 501** Potassium carbonate, potassium hydrogen carbonate
- **E 503** Ammonium carbonate, A.-hydrogen carbonate
- E 504 Magnesium carbonate, M.-hydrogen carbonate
- E 507 Hydrochloric acid
- E 508 Potassium chloride
- E 509 Calcium chloride
- E 511 Magnesium chloride
- E 513 Sulphuric acid
- **E 514** Sodium sulphate, sodium, hydrogen sulphate
- E 515 Potassium sulphate, potassium hydrogen sulphate
- E 516 Calcium sulphate
- **E 517** Ammonium sulphate
- E 520 Aluminium sulphate
- E 521 Aluminium sodium sulphate
- E 522 Aluminium potassium sulphate
- E 523 Aluminium ammonium sulphate
- E 524 Sodium hydroxide
- E 525 Potassium hydroxide
- E 526 Calcium hydroxide

### **Preservatives**

- E 200 Sorbic acid
- E 202 Potassium sorbate, sorbic acid
- E 203 Calcium sorbate, sorbic acid
- E 210 Benzoic acid
- E 211 Sodium benzoate, benzoic acid
- E 212 Potassium benzoate, benzoic acid
- E 213 Calcium benzoate, benzoic acid
- **E 214** Ethyl-para-hydroxybenzoate (PHB-ester)
- E 215 Sodium ethyl-para-hydroxy benzoate (PHBester)
- **E 216** Propyl-para-hydroxybenzoate (PHB ester)
- E 217 Sodiumpropyl-para-hydroxy benzoate (PHBester)
- E 218 Methyl-para-hydroxbenzoate (PHB-ester)
- **E 219** Sodium methyl-para-hydroxy benzoate (PHB-ester)
- E 220 Sulphur dioxide
- E 221 Sodium sulphite (sulphur dioxide)
- E 222 Sodium hydrogen sulphite (sulphur dioxide
- E 223 Sodium metabisulphite (sulphur dioxide)
- **E 224** Potassium metabisulphite (sulphur dioxide)
- E 226 Calcium sulphite (sulphur dioxide)
- E 227 Calcium hydrogen sulphite (sulphur dioxide)
- **E 228** Potassium hydrogen sulphite (sulphur dioxide)
- E 230 Biphenyl, diphenyl

- E 527 Ammonium hydroxide
- E 528 Magnesium hydroxide
- E 529 Calcium oxide
- E 530 Magnesium oxide
- E 535 Sodium ferrocyanide
- E 536 Potassium ferrocyanide
- E 538 Calcium ferrocyanide
- E 541 Sodium aluminium phosphate, acidic
- E 551 Silicon dioxide (silica)
- E 552 Calcium silicate
- E 553 a Magnesium silicate, magnesium trisilicate
- E 553 b Talc
- E 554 Aluminium sodium silicate
- E 555 Aluminium potassium silicate
- E 556 Aluminium calcium silicate
- E 558 Bentonite
- E 559 Aluminium silicate (kaolin)
- **E 570** Stearic acid (fatty acids)
- E 574 Gluconic acid
- E 575 Glucono-delta-lactone
- E 576 Sodium gluconate
- E 577 Potassium gluconate
- E 578 Calcium gluconate
- E 579 Iron-II-gluconate
- E 585 Iron-II-lactate
- E 231 Orthophenylphenol
- E 232 Sodium orthophenylphenate, orthophenylphenol
- E 233 Thiabendazole
- E 234 Nisin
- E 235 Natamycine
- E 239 Hexamethylene-tetramine
- E 242 Dimethyl dicarbonate
- E 249 Potassium nitrite
- E 250 Sodium nitrite
- E 251 Sodium nitrate
- E 252 Potassium nitrate
- E 260 Acetic acid
- E 261 Potassium acetate, salt of acetic acid
- E 262 Sodium acetate, salt of acetic acid
- E 263 Calcium acetate, salt of acetic acid
- E 270 Lactic acid
- E 280 Propionic acid
- E 281 Sodium propionate, propionic acid
- E 282 Calcium propionate, propionic acid
- E 283 Potassium propionate, propionic acid
- E 284 Boric acid
- E 285 Sodium tetraborate, boric acid
- E 290 Carbon dioxide, carbonic acid
- E 296 Malic acid
- E 297 Fumaric acid



### **E-Numbers Explained contd.**

### Sweeteners

- E 939 Helium
- E 941 Nitrogen
- E 942 Nitrous oxide
- E 948 Oxygen
- E 950 Acesulfame K, acesulfame
- E 951 Aspartame
- E 952 Cyclamate, cyclohexane sulphamide acid
- E 953 Isomalt
- E 954 Saccharin
- E 957 Thaumatin
- E 959 Neohesperidin DC
- E 965 Maltitol, maltitol syrup
- E 966 Lactitol
- E 967 Xylitol
- E 999 Quillaia extract
- E 1105 Lysozyme
- E 1200 Polydextrose
- E 1201 Polyvinylpyrrolidone

### Thickening, setting and moisturising agents

- E 400 Alginic acid, alginate
- E 401 Sodium alginate, alginate
- E 402 Potassium alginate, alginate
- E 403 Ammonium alginate, alginate
- E 404 Calcium alginate, alginate
- E 405 Propylene glycol alginate, alginate
- E 406 Agar
- E 407 Carrageenan
- E 407 a Eucheuma algae, treated
- E 410 Locust bean gum, carob gum

- E 1202 Polyvinyl polypyrrolidone
- E 1404 Oxidised starch
- E 1410 Monostarch phosphate (modified starch)
- E 1412 Di-starch phosphate (modified starch)
  E 1413 Phosphatised di-starch phosphate (modified starch)
- E 1414 Acetylised di-starch phosphate (modified starch)
- E 1420 Acetylised starch (modified starch)
- E 1422 Acetylised di-starch adipate (modified starch)
- **E 1440** Hydroxypropyl starch (modified starch)
- E 1442 Hydroxypropyl di-starch phosphate (modified starch)
- E 1450 Starch sodium octenylsuccinate (modified starch)
- E 1505 Triethyl citrate
- E 1518 Glycerine triacetate (triacetin)
- E 412 Gua gum
- E 413 Tragacanth
- E 414 Gum arabic
- E 415 Xanthan gum
- E 417 Tara meal
- E 418 Gellane
- E 420 Sorbit, sorbit syrup
- E 421 Mannite
- E 422 Glycerine



### **Metal Potential Sources**

#### Aluminium

Can be found in: Cans, foils, kitchen utensils, window frames and beer kegs

#### Antimony

Can be found in: Batteries, low friction metals and cable sheathing

#### Argon

Can be found in: Welding and light bulbs

#### Arsenic

Can be found in: Rat poisons and insecticides

#### Barium

Can be found in: Paints, fireworks, some medicines and the process of making glass

#### Beryllium

Can be found in: Springs, electrical contacts and spot-welding electrodes

#### Bismuth

Can be found in: Usually mixed with other metals

#### Boron

Can be found in: Clay pots, detergent, glass, flares and fibreglass

#### Bromine

Can be found in: Flame-retardants, water purification systems and dyes

#### Cadmium

Can be found in: Re-chargeable batteries

#### Caesium

Can be found in: Atomic clocks and photoelectric cells

#### Cerium

Can be found in: Air conditioners, computer and ovens

#### Chlorine

Can be found in: Bleach, papermaking, swimming pools

#### Chromium

Can be found in: Stainless steel cutlery, wood preservatives, dyes and pigments

#### Cobalt

Can be found in: Cutting tools and dyes

#### Copper

Can be found in: Electrical generators and motors

**Dysprosium** Can be found in: Lasers and many alloys

#### Fluorine

Can be found in: Toothpaste and etched glass

**Gadolinium** Can be found in: Many alloys

Gallium Can be found in: Electronics, alloys and thermometers

#### Germanium

Can be found in: Glass lenses, fluorescent lights, electronics and many alloys

#### Gold

Can be found in: Jewellery **Hafnium** 

Can be found in: Many alloys

Holmium Can be found in: Lasers

#### Indium

Can be found in: Electronics and mirrors

#### Iridium

Can be found in: Alloys and materials that need to withstand high temperatures

Lead Can be found in: Lead-acid storage batteries

### Lithium

Can be found in: Rechargeable and nonrechargeable batteries, some medications and alloys

#### Mercury

Can be found in: Batteries, fluorescent lights, felt production, thermometers and barometers

#### Molybdenum

Can be found in: Many alloys

#### Nickel

Can be found in: Stainless steel

#### Palladium

Can be found in: Car exhaust manufacture, dental fillings and jewellery

#### Platinum

Can be found in: Jewellery, decoration and dental work

#### Radium

Can be found in: Some medicines and glowing paints

#### Rhenium

Can be found in: Many alloys and flash photography

### Rhodium

Can be found in: Spark plugs and highly reflective materials

#### Rubidium Can be found in: Many alloys and amalgams

#### Ruthenium

Can be found in: Many alloys and corrosion resistant metals

Samarium Can be found in: Many alloys and audio equipment

Silicon Can be found in: Glass, pottery, computer chips and bricks

**Silver** Can be found in: Jewellery

**Strontium** Can be found in: Firework production, tin cans (food)

#### **Sulphur** Can be found in: Medicines, fertilisers, fireworks and matches

**Tantalum** Can be found in: Surgical equipment and camera lenses

**Tin** Can be found in: Alloying metal

#### Titanium

Can be found in: Alloying metal

### Vanadium

Can be found in: Alloying metal

#### Zinc

Can be found in: Many alloys, paint, fluorescent lights and the process of making plastic

#### Zirconium

Can be found in: Corrosion resistant alloys, magnets and some gem stones



Contact us:

## If you have any questions please get in touch with the team

support@easymedicaltests.co.uk